

Retail Food Establishment Inspection Report

Floyd County Health Department Telephone: 812-948-4726 ext. 678

Fax: 812-948-2208

Based on an inspection this day, the item(s) noted below identify violations of the IACTIVE Indiana Retail Food Establishment Sanitation Requirements. The time limit for correction of each violation is specified in the narrative portion of this report.

Establishme	nt Name			Telephone Number Date of Ins			PERMIT #	
		iana	a Kitchen	502-821-0992 (mm/dd/yr			19-233	
			ther and street, city, state, zip code)	502-523-2065	3-2065 8/26		, , , , ,	
	ate St I	vew	Albany, IN 47150	Purpose:	Follow-up	Releas	e Date	
Owner HMK PC	OP LLC	- Ro	odney Kistner	Routine	YES	1	Today	
Owner's Ad			1 11 10/ 40000	Follow-up	Summary of Violations:			
		Dr.	Louisville, KY 40299	Complaint	2	1	2 3	
Person in C Crystal				Pre-Operational	C_2_	NC'	2 R_3	
Responsible		i-mail	<u> </u>	Temporary	Menu Type (See back of page)			
			<u></u>	HACCP	l m :			
Certified Fo			4.24	Other (list)	1 2 _	<u>3</u> _▼	<u> 1_151</u>	
Crystal					L	<u> </u>		
			NTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS		IN IN THE N	ADD ATTUE	RVI OW AS "R"	
• VIOLATIO			FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SU	MMARY OF VIOLATIONS" AF	DINTHEN		orrected By	
Section#	C/NC	R	Narrative	£d		I U Be C	orrected by	
			-FCHD received a complaint stating a gnat w				Today.	
345	С		Observed food debris in drive through and fry				Today	
415	С		Observed flying insects (gnats) on ceiling near fryers, on ceiling in back				0 days	
			storage near soda lines, and on wall behind o	lrive-thru soda dispens	er;			
138	NC		Observe 3 kitchen employees without hair re-	straints			1 day	
174	NC		Observed bulk flour bin to not be labeled.				2 days	
177	NC		Observed 2 tea dispensers uncovered.				Today	
245	NC	R	Observed multiple wet rags out of sanitizer n	t rags out of sanitizer near tea and by handwashing Today				
			sink Dry rags can be used for spills.	,		-		
297	NC		Observed the following non-food contact equ	ipment in need of clear	ning;		3 days	
		R	Microwave dear tea brewers, soda syrup spil		 			
			sugar containers, and lobby soda machine n	ear ice chute and soda	nozzles.			
295	NC		Observed dropped chicken on floor of walk-in cooler.				Today	
310	NC		Observed dust on vent fans in lobby near counter.			3 Days		
324	NC		Observed leak from chemical dispensing hose in mop area. 10 days				0 days	
342	NC		Measure hand washing sink water temp. at 70 °F100° minimum -					
426	NC		Observed scattered trash in parking lot.				1 day	
Received b	y (name an		~1	Inspected by (name and title Thomas Snider, E		er Wilke	erson, EHS	
Lry	<u>stal</u>		toan					
Kedetved b	y (signatur)) (· O	Inspected by (signature):	JW	lkerse	m	
E-1-4	na	/	co;		ce:			
	}		'					

APPENDIX B NARRATIVE REPORT

		Nar	Address 2170 State St New Albany, IN 47150	Inspection Date 8/26/19	
opey	es c/nc	R	REMARKS	TO BE	
				CORRECTED BY	
431	NC	_	Observed ceiling dripping near warewash areaPIC stated it was from	3 days	
		_	condensation from A/C being left over night at a low temperature.	Today	
433 NC R			Observed mop stored in mop bucket with dirty waterDump water, Hand mop.	Today	
	<u> </u>		· · · · · · · · · · · · · · · · · · ·	 	
 	-	<u> </u>			
		-		<u> </u>	
_					
		1			
	<u> </u>	+-			
	-	+			
		+			
	 -	╁╌			
	 	 			
	 	1			
	 	+			
	 	† ·			
-		1 -			
• =					
			1.		
·				<u> </u>	
·	<u> </u>	<u> </u>			
	1				
		-			
 	↓	_			
		\bot			
	-				
	_	4-			
	-				
	+	+			
	-	+			
			& Title) Inspected By (Name & Title)	Page 2 of 2	

Crystal Sloan CS